



# intune

## SMART SOLUTIONS CATALOGUE

2024

Intune Technologies Pty Ltd.

M: +61485 855 866

P: +61 361 53 03 83


[smartsolutions@intunetech.com.au](mailto:smartsolutions@intunetech.com.au)

Intune is a leading provider of smart automation and digital signage solutions. We have partnered with industry-leading firms to offer top-quality products and services tailored to the unique needs of businesses. Our expertise spans multiple verticals, including smart homes, intelligent buildings, and industrial automation. With a focus on cutting-edge technology and seamless integration, we ensure businesses can enhance customer engagement and operational efficiency through our innovative solutions.

*Born in Melbourne and Intune has expanded our wings in Sri Lanka, India, Maldives and other parts of the world.*

“

*Modern devices for residential and industrial automation.”*



# OUR VISION

To build the world's most innovative, adaptable and sustainable eco system, advancing industries and profoundly connecting businesses, people & environment.

# OUR MISSION

To enable all businesses to exceed their goals with digital solutions encompassing quality hardware, clever software and reliable services.

# OUR VALUES



## Integrity

Through a collaborative approach with transparency and honesty, we work as a team to deliver desired outcomes.



## Excellence

No compromise in the high standard of the products and services provided by our highly qualified and experienced team members.



## Innovation

Passionate about our innovative technologies and creative processes, we aim for long term success through continuous improvements in products and services.



## Sustainability

Strive for economic, environmental and social sustainability through our innovative and strategic approaches.





# Our Technology Partners


*Intune has partnered with industry-leading firms to provide you with the best products and service.*

*We offer outstanding product quality, choice and technical support, all backed by manufacturers' warranties. And our in-depth knowledge of these products means you get exactly the system you need..*

we are proud of our brands and to partner with some of the worlds leading smart home automation manufacturers to offer our customers some of the best quality products at the most affordable prices



# OUR CLIENTS



**OUR PRODUCT RANGE IS NOT LIMITED TO WHAT'S SHOWN HERE —  
NO MATTER HOW COMPLEX OR UNIQUE YOUR REQUIREMENTS, WE  
CAN DELIVER.**

## CAMERA SOLUTIONS

Smart security here, there, everywhere.  
Security outside. Peace of mind inside.  
Help add protection anywhere you need  
it with motion-activated cameras from  
Intune.





## RING SPOTLIGHT CAM PRO BATTERY WITH BUILT-IN RADAR DETECTION

### KEY FEATURES

- Two-Way Talk with Audio+
- Security Siren
- 3D Motion Detection & Bird's Eye View
- 1080p HD Video & Colour Night Vision
- 2 LED Spotlights
- Dual-Band Wifi
- Quick Release Battery Pack

### AVAILABLE IN

- Battery
- Battery + Solar
- Plug-in
- Wired



## STICK UP CAM PRO COMES WITH BUILT-IN RADAR DETECTION

### KEY FEATURES

- 1080p HD Video & Colour Night Vision
- 3D Motion Detection with Bird's Eye View
- Two-Way Talk with Audio+
- Dual-Band Wifi
- Advanced or Colour Pre-Roll 3
- Weather-Resistant for Outdoor Use
- Quick Release Battery Pack

### AVAILABLE IN

- Battery
- Battery + Solar
- Plug-in



## RING SPOTLIGHT CAM PLUS BATTERY

### KEY FEATURES

- Two-Way Talk
- Security Siren
- Motion-Activated
- Notifications
- 1080p HD Video & Colour Night Vision
- 2 LED Spotlights
- Quick Release Battery Pack

### AVAILABLE IN

- Battery
- Battery + Solar
- Plug-in
- Wired



## STICK UP CAMERA WITH BATTERY

### KEY FEATURES

- 1080p HD Video &
- Two-Way Talk
- Indoor/Outdoor
- Removable Battery Pack
- Motion-Activated Notifications
- Colour Night Vision

### AVAILABLE IN

- Battery
- Battery + Solar
- Plug-in

## FLOODLIGHT CAM WIRED PRO WITH BUILT-IN RADAR DETECTION



### KEY FEATURES

- Two-Way Talk with Audio+
- 110dB Siren
- 3D Motion Detection & Bird's Eye View
- 1080p Video with HD
- Colour Night Vision
- 2000 Lumens
- Dual-Band Wifi

### AVAILABLE IN

- Wired

## FLOODLIGHT CAM WIRED PLUS



### KEY FEATURES

- Two-Way Talk
- 105dB Siren
- Motion-Activated Notifications
- 1080p HD Video & Colour Night Vision
- 2000 Lumens floodlights with brightness control
- Standard 2.4GHz Connectivity

### AVAILABLE IN

- Wired



## RING INDOOR CAMERA

### KEY FEATURES

- 1080p HD Video
- Motion Alerts with Advanced Pre-Roll
- Two-Way-Talk
- Colour Night Vision
- Manual Audio & Video Privacy Cover
- Plug-In Power

### AVAILABLE IN

- Plug-in



## SOLAR PANEL FOR CAMERAS





## AVAILABLE IN

- 8MP
- 6MP
- 4MP

## DAHUA WIZESENSE AI CAMERA WITH SMD 4.0

### KEY FEATURES

- High-Resolution Imaging: 8MP CMOS sensor for excellent low-light performance and high-definition images at 25/30 fps.
- Efficient Compression: H.265 codec for high compression rates and ultra-low bit rates, maximizing bandwidth and storage utilization.
- Night Vision: Built-in IR LED with a maximum distance of 30 meters for clear surveillance in low-light conditions.
- Flexible Coding: ROI, SMART H.264+/H.265+, and AI H.264/H.265 for adaptive coding based on bandwidth and storage needs.
- Advanced Features: Rotation mode, WDR, 3D NR, HLC, BLC, and digital watermarking for versatile monitoring in various scenarios.
- Intelligent Detection: Intrusion, tripwire, and accurate detection of vehicles and humans for enhanced security.
- Abnormality Detection: Motion detection, privacy masking, audio detection, and alerts for SD card status, network issues, and more.
- Storage Options: Supports up to 256 GB Micro SD card, with built-in microphone for audio recording.
- Easy Installation: 12 VDC/PoE power supply for convenient installation, and IP67 protection for durability.
- SMD 4.0 AI: Upgraded AI capabilities filter out irrelevant objects, detect clothing and vehicle color information, and prevent false alarms.

FULLY CUSTOMIZABLE COMPLETE SOLUTION BY INTUNE




## DAHUA COLOUR NIGHT VISION TIOC SMD AI DETERRANCE CAMERA

### KEY FEATURES

- 8 Megapixel cameras | TiOC 2.0 Full Color | Built-in Mic & Speaker | 2.8mm fixed lens | Smart Motion Detection 3.0
- Dahua Deterrence Full color Starlight IP Turret Fixed 2.8mm, 8MP, Built-in Mic & Speaker, WDR, Micro SD, IP67, POE
- Localised camera footage storage capability: up to 256 GB MicroSD Card storage
- High clarity Starlight Technology: Built-in warm light and IR LED: IR illumination distance is 30m and warm light distance is 30 m. – (3840×2160)@25/30 fps | PoE
- Smart Motion Detection (SMD Plus) – detects humans and vehicles with high accuracy, reducing false alarms.
- Intelligent Detection & Perimeter Protection – Intelligent monitoring includes Intrusion, tripwire (the two function support the classification and accurate detection of vehicle and human).
- Sound and light alarm with built in mic and speakers – flashes red and blue lights.
- Now with smart Dual Illuminators. The TIOC 2.0 camera can monitor at night with infrared and when motion is detected activate its auxiliary illuminator light for full Colour recording. – This camera has BOTH ILLIMINATOR AND INFRA RED!

### AVAILABLE IN

- 8MP
- 6MP



FULLY CUSTOMIZABLE COMPLETE SOLUTION BY INTUNE






## DAHUA TIOC PRO 8MP ACUPICK ACTIVE DETERRENCE FULL COLOR STARLIGHT IP CAMERA



The Dahua 8MP TiOC AcuPick Eyeball Camera combines cutting-edge AI detection, crystal-clear 4K resolution, and full-color night vision for ultimate security. Designed with smart dual lighting, active deterrence features, and two-way audio, this camera ensures proactive protection and real-time communication.


- **8MP Ultra HD Resolution:** Capture sharp and detailed video in 4K clarity, providing outstanding surveillance footage with enhanced facial and object recognition.
- **AcuPick Technology:** Utilises AI-based target searching to accurately distinguish between human and vehicle movements, reducing false alarms and streamlining event playback.
- **Full-Color Night Vision:** Enables colour video recording 24/7, even in low-light environments, improving visibility and security detail during nighttime events.
- **Active Deterrence:** Built-in siren, microphone, speaker, and strobe light warn intruders and allow real-time communication for immediate threat response.
- **Smart Dual Lighting:** Automatically switches between IR and warm lighting depending on scene conditions, optimising both video clarity and discretion.
- **Rugged Design:** IP67-rated waterproof and IK10 vandal-resistant housing ensures reliable performance in both indoor and extreme outdoor environments



DAHUA 5MP WIZCOLOR TURRET  
FIXED CAMERA WHITE


Dahua WizColor Technology seamlessly combines with the powerful AI-ISP, large pixel size sensor and large aperture in cameras. This unique integration enables cameras to effortlessly capture high-quality images with vibrant colors during nighttime scenarios, ensuring fine details are preserved and minimizing motion blur.

- 1/1.8" CMOS image sensor, low luminance, and high definition image
- Outputs max. 5 MP (2960 x 1668) @20 fps, and supports (2688 x 1520) @25/30 fps
- H.265 codec, high compression rate, ultra-low bit rate
- Built-in warm light, and the max. illumination distance is 30 m.
- ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments
- Rotation mode, WDR, 3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes
- Intelligent monitoring: Intrusion, tripwire (the two functions support the classification and accurate detection of vehicle and human)
- Abnormality detection: Motion detection, video tampering, audio detection, no SD card, SD card full, SD card error, network disconnection, IP conflict, illegal access, and voltage detection
- Supports max. 256 G Micro SD card; built in Mic
- 12 VDC/PoE power supply, easy for installation
- IP67 protection





## DAHUA 8MP TIOC DUO SPLICING FIXED-FOCAL EYEBALL WISENSE NETWORK CAMERA



- Outputs 180° wide angle splicing image.
- Outputs max. 8 MP (4096 × 1860)@20 fps.
- H.265 codec, high compression rate, ultra-low bit rate.
- Built-in IR LED and warm light, the max. IR illumination distance is 25 m and warm light distance is 20 m.
- ROI, SMART H.264 +/H.265+, AI H.264/H.265, flexible coding, applicable to various bandwidth and storage environments.
- WDR, 3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes.
- Alarm: 1 in, 1 out; audio: 1 in, 1 out; supports max. 256 G Micro SD card; built in dual Mic; built in speaker, support two-way talk.
- 12 VDC/PoE power supply, easy for installation.
- IP67 protection.
- Sound and light alarm (red and blue lights)
- EPTZ: Enlarge and track the targets of intelligent alarms.
- SMD 4.0.
- One-tap arming/disarming through alarm input



180° Coverage Surveillance



Spotlight, Siren & Blue/Red Strobe



AI Human & Vehicle Detection



# SMART CAMERA SOLUTION



## HIKVISION ACUSENSE IP CAMERA

### KEY FEATURES

- 8MP resolution
- Excellent low-light performance with powered by DarkFighter technology
- 120dB true WDR technology
- Focus on human and vehicle targets classification based on deep learning
- Active strobe light and audio alarm to warn intruders off
- Provides real-time security via built-in two-way audio
- IP67 rated

### AVAILABLE IN

- 8MP
- 6MP
- 4MP

FULLY CUSTOMIZABLE COMPLETE SOLUTION BY INTUNE



## HILOOK TURRET CAMERAS

### KEY FEATURES

- 8MP turret camera with versatile output options.
- 1/2.5" Progressive Scan CMOS for high-quality imaging.
- Excellent low-light performance: Color sensitivity of 0.028 lux @(F2.0, AGC ON), 0 lux with IR.
- Advanced video analytics: VCA functions, 3 streams, 3D DNR, BLC/HLC.
- IR Cut Filter (ICR) and EXIR technology for up to 30m night vision.
- Dual power options: DC12V and Power over Ethernet (PoE)..
- Seamless remote monitoring with HIK-Connect cloud service.
- Robust weatherproof design with IP66 protection.

### AVAILABLE IN


- 8MP
- 6MP
- 4MP

## HIKVISION 8MP 4K SMART HYBRID LIGHT COLORVU TURRET CAMERA



With the integration of cutting-edge AcuSense technology, Hikvision help users focus only on events that matter to security. Empowered by deep learning algorithms, ColorVu Gen 2 cameras can also distinguish people and vehicles from other moving objects such as rain, leaves and animals which vastly improves search efficiency as footage can be sorted by human and vehicle categories.

- High quality imaging with 8 MP resolution
- Smart Hybrid Light: advanced technology with long range
- Clear imaging against strong back light due to 130 dB WDR technology
- Efficient H.265+ compression technology
- Focus on human and vehicle classification based on deep learning
- -U: Built-in microphone for real-time audio security
- Water and dust resistant (IP67)



# SMART CAMERA SOLUTION



## ITRON SMART AI CAMERA



Siren & Flashing Light



Audio Intercom



2.4 GHz WiFi



4MP  
2560×1440P  
Recording



123° Wide  
View Angle



Smart Phone  
Control



Secure Cloud  
Storage



Rechargeable  
Battery



3 Activity  
Zones



Color Night  
Vision



SD Storage  
Option



100% Wire  
Free Design



Motion  
Detection  
Upto 10m



Solar Panel  
Charging



Dust & Water  
Proof IP65



Cloud AI



Suitable For  
Indoor/Outdoor

# WORKSITE CAMERA SOLUTION

A SURVEILLANCE SOLUTION THAT PREVENTS



Theft



Illegal Dumping



Vandalism



Unsafe Behavior



24/7 Protection  
Over 99% Success  
preventing theft

- Smart Feature Packed Cameras to Choose from
- Fully Customizable
- Buy or Rental Options
  - SMART CAMERA
  - SOLAR PANEL FOR CAMERA
  - CONNECTIVITY AND ROUTER
  - STORAGE & RELEVANT COMPONENTS
  - POLE AND MOUNTING ACCESSORIES
  - INSTALLATION AND CONFIGURATION



**INCLUSIVE**

## OUTDOOR FULL-COLOR 4G BULLET NETWORK CAMERA



- 4MP Super-High Definition and 24h Full-Color
- 4G Mobile Networking\*<sup>1</sup>
- 3 LAN Ports for Downstream Devices
- Human & Vehicle Classification
- Smart Detection
- Smart Video Enhancement Technology
- Active Defense and Two-Way Audio
- H.265+ Compression Technology
- IP66 Weatherproof



Outdoor Full-Color

3\* 3 LAN Ports

4G Mobile Networking

Full Color

LightPro Night Version

Human & Vehicle Classification

Smart Detection

Active Defense

IP66 Weatherproof

**INCLUSIVE**

## INTELLIGENT SOLAR POWER SUPPLY SYSTEM



High-Efficiency Solar Panel

- 90W Photovoltaic Panel and 31.2Ah/10.8V Lithium Battery
- 3× DC Voltage Output Ports
- Modular Design
- 5°/15°/25°/35°/45°/55° Adjustable Angles
- Intelligent Auxiliary Heating Technology
- Maximum Power Point Tracking (MPPT) Charging Controller
- IP66 Weatherproof
- Remote Management and Simple Installation



90W Solar Panel



30Ah/10.8V Battery



Modular Design



IP66 Weatherproof



Remote Management



Simple Installation



Adjustable Angles



Outdoor-ready

Grade **A** Solar Panel

**25+** Years Lifespan

**21.6%** Conversion Efficiency





**HIKVISION**

**8 MP DUAL LENS STITCHED WIDE ANGLE  
SMART HYBRID LIGHT FIXED TURRET**

It is a high-performance 8MP all-in-one turret network camera designed to deliver ultra-wide 180° panoramic coverage in full colour, day and night. Powered by Smart Hybrid Light technology, it combines white light and IR for optimal low-light imaging and intelligent switching. With deep learning-based human and vehicle motion detection, built-in two-way audio, and an active strobe light and siren alarm, this camera acts as both a deterrent and evidence collector—perfect for carpark, public spaces, and perimeter monitoring.

Key Features

- 8MP panoramic imaging with 180° horizontal field of view
- Smart Hybrid Light – combines IR and white light up to 30m
- AI-based human and vehicle detection via motion
- Built-in two-way audio with microphone and loudspeaker
- Active deterrence: red & blue strobe light and audio alarm
- IP67-rated weatherproof housing for outdoor durability
- Onboard microSD storage up to 512GB
- Efficient H.265+ video compression technology

**8MP**  
4K  
ULTRA HD

**30M NIGHT VISION**

**WEATHER PROOF**

**FALSE ALARM FILTER**

**STROBE**

**BUILT-IN MIC**

**H.265**

**IP67**

**HIKVISION HILOOK PRO 6MP OUTDOOR  
TURRET CAMERA, INTELLISENSE,**

The HiLook Pro Series 6MP outdoor turret camera features a 2.8mm lens, 30m IR range, and built-in mic. It has 120dB WDR, 1/2.4" sensor, 0.001 Lux @ F1.2, and a 119.6° field of view. With an IP67 rating, it's water and dust resistant. The HIL-IPC-T263HMUB model includes IntelliSense for human and vehicle detection but isn't as accurate as Hikvision's AcuSense and not suitable for harsh environments. HiLook offers a cost-effective, reliable option for entry-level video surveillance needs.

- High quality imaging with 6 MP resolution
- Support Human and Vehicle Intelligent Detection
- Up to 30m IR lights to guarantee night vision
- Built-in microphone for real-time audio security
- Water and dust resistant (IP67)
- Efficient H.265+ compression technology

**HiLook Pro Series**


HIKVISION

## HIKVISION HILOOK ALL IN ONE CAMERA



- 6MP high-resolution camera for detailed imaging
- Alarms and notifications with customizable audio messages via mobile app
- Intelligent human and vehicle classification technology to minimize false alarms
- Real-time deterrents: strobe light and audio alarm for intruder warning
- All-in-One camera with vibrant nighttime images through White light supplement
- Compatibility with HiLook NVR for convenient alarm control via HiLookVision app
- IP67 Ingress Protection for water and dust resistance
- One-tap alarm/disarm feature on the mobile app for user convenience
- High-quality imaging using H.265+ compression technology
- Clear imaging in strong backlight with 120 dB true WDR technology
- Smart dual-light supplement: auto-switch between IR and White light when triggered
- Built-in two-way audio for real-time communication
- 24/7 colorful imaging for continuous monitoring

**6MP**  
FULL HD  
RESOLUTION





## Doorbell Solutions

Smart security here, there, everywhere. Security outside. Peace of mind inside. Help add protection anywhere you need it with motion-activated cameras from Intune.

# SMART DOORBELL SOLUTION



## AMAZON'S ECHO SHOW WITH RING VIDEO DOORBELL



### KEY FEATURES

- 1080p HD Video &
- Two-Way Talk
- Motion Detection &
- Real-Time Alerts
- Night Vision
- Built-in Rechargeable Battery
- Quick Replies
- Android Smart Display features

## AMAZON'S ECHO SHOW WITH WIRED RING VIDEO DOORBELL



### KEY FEATURES


- 1080p HD Video &
- Two-Way Talk
- Motion Detection &
- Real-Time Alerts
- Night Vision
- Quick Replies
- Android Smart Display features

## RING SMART VIDEO DOORBELL



### Answer the door from anywhere.

Ring is on a mission to make neighborhoods safer — starting at the front door. With our world-renowned Video Doorbells, convenience and peace of mind are always at your fingertips whether you're home or away.



1080p HD Video & Two-Way Talk



Motion Detection & Alerts



Colour Night Vision



Wired Installation




Customisable Privacy Settings



Works with Alexa



# SMART CENTRAL CONTROL SOLUTION



Light bulb



Smart plug



Lock



Thermostat




Video doorbell



Voice Control

- **ECHO HUB** – An easy-to-use Alexa-enabled control panel for your smart home devices – just ask Alexa or tap the display to control lights, smart plugs, camera feeds, and more.
- **STREAMLINE YOUR SMART HOME** – Customise the controls and widgets, displayed on your dashboard to quickly adjust devices, view cameras, start routines, and more.
- **WORKS WITH THOUSANDS OF DEVICES** – Compatible with thousands of connected locks, thermostats, speakers, and more. WiFi, Bluetooth, Zigbee, Matter, and Thread devices sync seamlessly with the built-in smart home hub.
- **HOME SECURITY AT YOUR FINGERTIPS** – Use the Alexa app and compatible cameras, locks, and sensors to check in while you're out.
- **EASY TO INSTALL** – Echo Hub can be wall mounted anywhere you have an outlet. Use in-wall cable pass throughs or a power-over-ethernet adaptor (both sold separately) to hide cables. Also compatible with table-top stand (sold separately).
- **PLAY YOUR MUSIC EVERYWHERE** – Connect your preferred speaker to Echo Hub to play music, audiobooks, and podcasts in any room.
- **DESIGNED TO PROTECT YOUR PRIVACY** – Built with privacy in mind, including a mic off button.



## Pair. Play. Enjoy.

Play music directly from your Echo Hub or connect your preferred speakers to Echo Hub to control whole home audio and enjoy your favorite playlists, podcasts, and audiobooks.



# SMART DOORBELL SOLUTION



FULLY CUSTOMIZABLE COMPLETE SOLUTIONS BY INTUNE

## DAHUA VILLA INTERCOM KITS

### KEY FEATURES

- Keyboard villa door station
- Supplemental lighting with white light
- 2MP CMOS camera
- Mechanical button with Braille
- Aluminium alloy plate, IK08, IP65
- Door release via password and Mifare card
- 7" TFT capacitive touch screen, 1024 x 600
- 6-channel alarm input and 1-channel alarm output
- Standard PoE
- Outdoor station and IPC monitor
- H.265 and H.264 video coding
- High performance & cost-effective

## DAHUA RESIDENTIAL INTERCOM KITS



- > High definition camera; WDR
- > Operating temperature -30 °C to +60 °C · IP65
- > auto IR illumination and D/N
- > Card/app remote/indoor monitor (VTH) unlock
- > 2-channel voice call and supports calls between door stations and app
- > 10,000 cards
- > Tamper alarm
- > Supports standard PoE power supply
- > Control two locks
- > Quick configuration without computers



- > Anodized aluminum front panel
- > CMOS low illumination 2MP HD colorful 140° camera
- > Video intercom function
- > Access control function that supports two locks
- > Use the app to talk to visitors or unlock the door remotely on your phone.
- > Surface mounted and flush mounted.
- > PoE
- > IK07&IP65



# SMART DOORBELL SOLUTION



FULLY CUSTOMIZABLE COMPLETE SOLUTIONS BY INTUNE

## HIKVISION VILLA MODULER INTERCOM KIT



### KEY FEATURES

- 2 MP HD video intercom function
- Access control function
- Noise suppression and echo cancellation
- H.264 video compression
- Low illumination
- Tampering alarm
- Fisheye camera with IR supplement light
- Supports sub-modules' access (max. 8)
- Nametag customization
- Easy to and extend
- Keypad - Door Station
- Supports unlock the door via entering password
- Supports call the resident via entering room No.
- Backlight compensation
- Easy to and extend

## HIKVISION INTERCOM KITS



- 4-wire plug & play analog door station
- 2 MP Pinhole camera with self-adaptive IR supplement
- One-touch calling design for easier calls
- Supports two door stations simultaneously in the intercom system
- Convenient installation and easy operation
- Anti-oxidant aluminium alloy
- 4-wire analog indoor station
- 7-inch TFT screen with 800 × 480 resolution
- Physical buttons design for easier operation
- Supports three indoor stations cascading in the intercom system
- Supports remote unlocking, monitoring door station and external analog camera




- Two-Wire Indoor Station
- Receives Video Call And Unlocks On Mobile App Anywhere, Anytime
- 7 inch Touch-Screen, User Friendly Interface, Plug & Play
- Easy, Cost-Efficient Installation
- Villa Door Station:
- High quality imaging with 2 MP resolution
- Easy, Cost-Efficient Installation
- User Friendly Design, Name tag, Communication status LED indicator
- IP65 water resistant, preventing water ingress for outdoor use



- Indoor station:
- 7-inch touch screen, user friendly interface, Plug & Play
- Easy, cost-efficient installation, Wifi & POE Supported
- Receives video call and unlocks on mobile App anywhere, any time
- Supports live view of up to 16 IP cameras
- Door station:
- High quality imaging with 2MP resolution
- Easy, cost-efficient installation, Wifi & POE Supported
- Easy configuration through WEB interface
- IP65 water resistant, preventing water ingress for outdoor use

# 10" ANDROID DISPLAY



- Android 8.1
- More User-Friendly UI
- Ethernet and Wi-Fi
- 10" TFT Capacitive touch Screen, 1024×600
- Micro-SD Card optional, max 256GB



## AKUVOX APARTMENT INTERCOM SYSTEM OUTDOOR UNIT



Perfect Doorphone choice for daily life

The security that comes with being able to control who comes into your building along with the ability to verbally and visually confirm their identity is immeasurable. Akuvox's Video Doorphone R20K enables you to easily monitor an entrance door or gate and gives you the peace of mind knowing that your facility is more secure.


At a Glance

- Aluminum panel with numeric keypad;
- Linux operation system;
- Wide-angle camera: 110° (H), 58° (V);
- Two-way audio communication over IP networks with Echo Cancellation feature;
- Flush-mounted & surface-mounted;
- Complies with SIP & ONVIF;



## Diverse Door Entry Methods

Tenants can select any of the following door unlocking methods that suit their individual needs



## AKUVOX APARTMENT INTERCOM SYSTEM INDOOR UNIT

7" capacitive touch screen



8 channel inputs  
and 1 embedded relay



Support RS485



800 x 480 resolution



Dimensions:  
200.2 x 132.2 x 27.2 mm




### Premium Audio and Video Quality

Residents can enjoy crystal clear audio communication with visitors as well as seeing them as if conversing face to face before remotely granting or denying access.



Crystal Clear Audio





## Smart Doorlock Solutions

Smart security here, there, everywhere. Security outside. Peace of mind inside. Help add protection anywhere you need it with motion-activated cameras from Intune.

# MODEL F1

Make access smart, simple & safe

## Parameter:

Material: Manganese steel

Plate Size: L370×W75mm

Unlock Way: App, Password, Fingerprint, NFC, Card or Key App Name:

Tuya App

Support System: IOS7.0 or Android 4.4 or above

Power Supply: 8pcs AA alkaline batteries

Mortise: 6068 Anti-theft mortise

Color: Black / Red Bronze

Working Temperature: -25~60 degree

Apply Door Thickness: 40~90mm

USB Back Up Power: Yes

Applicable For: Wooden or Metal door





## MODEL F2

Make access smart, simple & safe



Tuya WiFi Version  
(Optional)



Digital Door  
Viewer Function



Face Recognition  
Function

## MODEL F3

Make access smart, simple & safe



Tuya WiFi Version  
(Optional)



Digital Door  
Viewer Function



Face Recognition  
Function

### Parameter:

Material:	Aluminum alloy
Plate Size:	L430×W70mm
Unlock Way:	App, Face Recognition, Password, Fingerprint, NFC, Card or Key
App Name:	Tuya App
Support System:	IOS7.0 or Android 4.4 or above
Power Supply:	4200mAh lithium battery
Mortise:	6068 Anti-theft lock body
Color:	Gray
Working Temperature:	-10~60 degree
Apply Door Thickness:	40~90mm
USB Back Up Power:	Yes
Applicable For:	Wooden or Metal door



Gray

### Parameter:

Material:	Aluminum alloy
Plate Size:	L430×W60mm
Unlock Way:	App, Face Recognition, Password, Fingerprint, NFC, Card or Key
App Name:	Tuya App
Support System:	IOS7.0 or Android 4.4 or above
Power Supply:	4200mAh lithium battery
Mortise:	6068 Anti-theft lock body
Color:	Black
Working Temperature:	-10~60 degree
Apply Door Thickness:	40~90mm
USB Back Up Power:	Yes
Applicable For:	Wooden or Metal door



Black

# MODEL F7

Make access smart, simple & safe

## Parameter:

Material:	Aluminum alloy + Curved tempered glass
Plate Size:	L370×W75mm
Unlock Way:	App, Password, Fingerprint, NFC, Card or Key
App Name:	Tuya App
Support System:	IOS7.0 or Android 4.4 or above
Power Supply:	8pcs AA alkaline batteries
Mortise:	6085/ 6068 Anti-theft mortise / 7098 Electronic mortise
Color:	Black
Working Temperature:	-25~60 degree
Apply Door Thickness:	40~80mm
USB Back Up Power:	Yes
Applicable For:	Wooden or Metal door



Tuya WiFi Version  
(Optional)



Video  
Intercom



Digital Door  
Viewer Function



### Built-in Doorbell Function

Doorbell rings, the inside owner can check outside visitors by camera.



### APP Remote Unlock

Doorbell rings, your phone app will receive a unlocking request.



### Real-time Intercom & Video Record

Doorbell rings, your phone app will receive a video call, you can chat with the visitor.

# REAL-TIME INTERCOM

Automatic Camera Smart Door Lock



## MODEL F4

- Material: Aluminum alloy
- Unlock Ways: APP, Password, Fingerprint, NFC, Card or Key
- Mortise: 6068 Electronic mortise
- Plate Size: L372.6×W74mm
- Color: Black / Silver / Red Bronzed
- Power Supply: 8pcs AA alkaline batteries
- USB Charging Port: Yes
- Door Thickness: 35~100mm




## MODEL F6

- Material: Aluminum alloy
- Unlock Ways: APP, Password, Fingerprint, NFC, Card or Key  
Mortise: 50, 60, 70 Single latch/ 85 Series/ 5050/ 72 Series
- Plate Size: L263×W39mm
- Color: Black / Satin Nickel
- Power Supply: 4pcs AA alkaline batteries
- USB Charging Port: Yes
- Door Thickness: 35~55mm




## MODEL F5

- Unlock Ways: APP, Face Recognition, Password, Fingerprint, Palm, NFC, Card or Key
- Material: Aluminum alloy
- Mortise: 6068 Anti-theft mortise
- Plate Size: L408×W80mm
- Color: Black / Silver / Red Bronzed / Gold
- Power Supply: 4000mAh lithium battery
- USB Charging Port: Yes
- Door Thickness: 45~90mm





## MODEL F8

- Material: Aluminum alloy
- Unlock Ways: App, Password, Fingerprint, NFC, Card or Key
- Mortise: 50, 60, 70 Single latch/ 85 Series/ 5050/ 72 Series
- Color: Black / Red Bronze
- Plate Size: L260×W63mm
- Power Supply: 4pcs AA alkaline batteries
- USB Charging Port: Yes
- Door Thickness: 35~55mm




# SMART KEY BOX







TTLock Version  
(Optional)



Tuya BLE Mesh  
Version (Optional)



Compatible with  
Amazon Alexa



Compatible with  
Google Home

## MODEL K3

Make access smart, simple & safe

### Introduction:

This smart key box is roomy enough to hold a key card, several house keys and a car key. A keyless experience without replacing your existing lock. Install in just a few minutes. Open Key box via PIN code or Bluetooth. Use App "Tuya or TTLOCK" to unlock, share access, and check the access records.



Zinc alloy body, strong and durable. Withstand fall within 1 meter.



Could be used for outdoor, working temperature ranges from -25°C ~ 55°C (-13°F~131°F).




Min.10,000 times lock & unlock or lasts for 12 months.

### Parameter:

Material:	Zinc alloy
Plate Size:	L165×W72mm
Unlock Way:	App, Fingerprint, Password or Card
App Name:	TTLock APP or Tuya APP
Support System:	IOS7.0 or Android 4.4 or above
Power Supply:	4pcs AAA alkaline batteries
Color:	Black
Working Temperature:	-25~55 degree
USB Back Up Power:	Yes
Application:	Office, Apartment, Home, School
Applicable For:	Door Handle, Wall

### Specification: (Unit:mm)



### 4 Unlocking Ways:



# MODEL R5

Make access smart, simple & safe

## Parameter:

Material:	Aluminum alloy + Tempered glass
Plate Size:	L193×W75mm
Unlock Way:	App, Password, Fingerprint, NFC, Card or Key
App Name:	TTLock App or Tuya APP
Support System:	IOS7.0 or Android 4.4 or above
Power Supply:	4pcs AA alkaline batteries
Mortise:	Adjustable single latch / 5050 / 6050
Color:	Black / Satin Nickel
Working Temperature:	-20~60 degree
Apply Door Thickness:	35~55mm
USB Back Up Power:	Yes
Applicable For:	Wooden or Metal door



Black



Satin Nickel



### Semi-conductor Fingerprint Recognition

Quick access with fingerprint with low false recognition rate, good for old man or kids.




### Anti-Peep Password Access

Hiding your real password in the virtual pin code.



### Emergency Power Supply

When there is no power, no worry the use.



TTLock Version (Optional)



Tuya WiFi Version (Optional)



Compatible with Amazon Alexa

Compatible with Google Home



## MODEL R6

Make access smart, simple & safe



TTLock Version  
(Optional)



Tuya WiFi Version  
(Optional)



Tuya Zigbee  
Version (Optional)



Compatible with Amazon  
Alexa & Google Home

## MODEL R7

Make access smart, simple & safe



TTLock Version  
(Optional)



Tuya WiFi Version  
(Optional)



Compatible with  
Amazon Alexa



Compatible with  
Google Home

### Parameter:

Material:	Aluminum alloy
Plate Size:	L234×W76mm
Unlock Way:	App, Password, Card, NFC, Key or Fingerprint
App Name:	TTLock App or Tuya App
Support System:	IOS7.0 or Android 4.4 or above
Power Supply:	4pcs AA alkaline batteries
Mortise:	Adjustable single latch / 50 Series / 5572
Color:	Black / Silver
Working Temperature:	-25~60 degree
Apply Door Thickness:	35~55mm
USB Back Up Power:	Yes
Applicable For:	Wooden or Metal door

### No Fingerprint Version



Black Silver

### Parameter:

Material:	Aluminum alloy
Plate Size:	L263×W39mm
Unlock Way:	APP, Password, Fingerprint, NFC, Card or Key
APP Name:	TTLock APP or Tuya APP
Doorbell Function:	Yes
Power Supply:	4pcs AA alkaline batteries
Mortise:	50, 60, 70 Single latch / 85 Series / 5050 / 72 Series
Color:	Black / Satin Nickel
Working Temperature:	-25~60 degree
Apply Door Thickness:	35~55mm
USB Back Up Power:	Yes
Applicable For:	Wooden door or Metal door



Satin Nickel



## MODEL R10

Make access smart, simple & safe



TTLock Version  
(Optional)



Tuya WiFi Version  
(Optional)



Compatible with  
Amazon Alexa

Compatible with  
Google Home

### Parameter:

Material:	Aluminum alloy
Plate Size:	L280×W65mm
Unlock Way:	App, Password, Fingerprint, NFC, Card or Key
App Name:	TTLock App or Tuya APP
Support System:	IOS7.0 or Android 4.4 or above
Power Supply:	4pcs AA alkaline batteries
Mortise:	5050 Electronic mortise
Color:	Black
Working Temperature:	-25~55 degree
Apply Door Thickness:	35~55mm
USB Back Up Power:	Yes
Applicable For:	Wooden or Metal door



Silver Red Bronze

## MODEL R11

- Material: Aluminum alloy
- Unlock Ways: APP, Password, Fingerprint, NFC, Card or Key
- Mortise: 5050 Electronic mortise
- Plate Size: L258.7×W55.4mm
- Color: Black / Red Bronze
- Power Supply: 4pcs AA alkaline batteries
- USB Charging Port: Yes
- Door Thickness: 35~55mm



TTLock Version  
(Optional)



Tuya WiFi Version  
(Optional)



## MODEL R12

- Material: Aluminum alloy
- Unlock Ways: App, Password, Fingerprint, NFC, Card or Key
- Mortise: 50, 60, 70 Single latch/ 85 Series/ 5050/ 72 Series
- Color: Black / Red Bronze
- Plate Size: L260×W63mm
- Power Supply: 4pcs AA alkaline batteries
- USB Charging Port: Yes
- Door Thickness: 35~55mm



• Black



Tuya WiFi Version  
(Optional)



8 language  
Voices

# UNIVERSAL 6068 MORTISE



## MODEL D1

Make access smart, simple & safe

### Parameter:

Material:	Aluminum alloy + Tempered glass
Plate Size:	L370×W75mm
Unlock Way:	App, Password, Fingerprint, NFC, Card or Key
App Name:	TTLock APP or Tuya App
Support System:	IOS7.0 or Android 4.4 or above
Power Supply:	8pcs AA alkaline batteries
Mortise:	6068 Anti-theft mortise
Color:	Black / Red Bronze / Silver
Working Temperature:	-25~60 degree
Apply Door Thickness:	40~90mm
USB Back Up Power:	Yes
Applicable For:	Wooden or Metal door



TTLock Version  
(Optional)



Tuya WiFi Version  
(Optional)



Tuya Zigbee  
Version (Optional)



Compatible with Amazon  
Alexa & Google Home



## MODEL D2

- Material: Aluminum alloy
- Unlock Ways: App, Password, Fingerprint, NFC, Card or Key
- Color: Black
- Plate Size: L370×W75mm
- Mortise: 6068 Anti-theft mortise / 7098 Electronic mortise
- Power Supply: 8pcs AA alkaline batteries
- USB Charging Port: Yes
- Door Thickness: 35~100mm



TTLock Version  
(Optional)



Tuya WiFi Version  
(Optional)

## MODEL D3

- Material: Aluminum alloy
- Unlock Ways: APP, Password, Fingerprint, NFC, Card or Key
- Mortise: 6068 Electronic mortise
- Plate Size: L372.6×W74mm
- Color: Black / Silver / Red Bronzed
- Power Supply: 8pcs AA alkaline batteries
- USB Charging Port: Yes
- Door Thickness: 35~100mm



TTLock Version  
(Optional)



Tuya WiFi Version  
(Optional)

## MODEL D4

- Material: 304# stainless steel
- Unlock Ways: App, Password, Fingerprint, NFC, Card or Key
- Color: Black / Silver
- Plate Size: L283.5×W53.5mm
- Mortise: Adjustable single latch / 5050 / 85 series / 70 AU mortise
- Power Supply: 4pcs AA alkaline batteries
- USB Charging Port: Yes
- Door Thickness: 35~64mm



TTLock Version  
(Optional)



Tuya WiFi Version  
(Optional)

## MODEL D5

- Material: Aluminum alloy
- Unlock Ways: App, Password, Fingerprint, NFC, Card or Key
- Color: Black
- Plate Size: L360×W70mm
- Mortise: 6068 Anti-theft mortise
- Power Supply: 4pcs AA alkaline batteries
- USB Charging Port: Yes
- Door Thickness: 38~90mm



TTLock Version  
(Optional)

## MODEL D6

- Material: Aluminum alloy
- Unlock Ways: App, Password, Fingerprint, NFC, Card or Key
- Color: Gray / Red Bronze
- Plate Size: L420×W76mm
- Mortise: 6068 Anti-theft mortise
- Power Supply: 3000mAh lithium battery
- USB Charging Port: Yes
- Door Thickness: 40~90mm



Tuya WiFi Version  
(Optional)



## Security System


Smart security devices like Indoor Camera, Outdoor Camera, Contact Sensor, Water Leakage Sensor, etc. form comprehensive security system, making you feel safe and secure no matter how far you are from home.

# SMART ALARM SOLUTION




## Prevent intrusion from the very start

Place around windows, doors, and other areas where intrusions occur for confident security. The AX PRO detectors deliver precise indoor and outdoor detection and all-compassing protection, day and night.



## Stay informed with real-time video clips

Powered by Hikvision's IVaaS technology, home- or business-owners can verify alarms by watching video clips or GIF imaging when they are away from the property, staying confident and informed.



## Detect risks before they break out

The AX PRO system also helps make homes safer for families. It provides fire and water leakage detection before disaster strikes for superior security at every corner.



## Intelligent control with a scalable system

Setup intelligent control in homes with a whole range of smart control devices, relays, outlets, and more. What's more, the AX PRO system is flexible and can be linked with other Hikvision devices, offering even more flexibility.



# AX PRO WIRELESS AND HYBRID ALARM SOLUTION



**AX PRO** Wireless  
Intrusion Alarm System  
AN INTELLIGENT SYSTEM  
WITH CONVERGENT SOLUTIONS

868 MHZ VERSION

**HIKVISION**

## DAHUA AIRSHIELD WIRELESS ALARM KIT




A complete wireless security solution including a wireless hub, pet-friendly motion sensors, remote control, indoor and outdoor sirens –all powered by long-lasting Li-ion batteries. Supports video alarm verification, voice call alerts, multi-network connectivity (Ethernet, Wi-Fi, 4G), two-way communication, and remote cloud updates for reliable and flexible protection.

- Video Alarm Verification via IPC Integration
- Remote Image Transfer from PIR-Cam
- Voice Call Alarm Alerts
- Wired and AP Network Configuration
- Multi-Network Redundancy (Ethernet, Wi-Fi, 4G)
- Two-Way Communication with Frequency Hopping
- Cloud-Based Remote Firmware Updates
- Dual Backup System with Auto Recovery

**DAHUA | AirShield**  
TECHNOLOGY

### INVISIBLE CONNECTION, TANGIBLE PROTECTION

- User-friendly Apps
- Cloud-based Operation Interaction
- Open API Integration



# SMART ALARM SOLUTION

# U-PROX



### Smartphone control

Intuitive mobile application



### Smartphone or tablet setup

Fine-tuning from a mobile application



### Stay Arm

Stay home with perimeter secured



### Web portal

Remote control and configuration via Web portal



### Stable radio signal

Wireless detectors with ITU region selection, channel reliability, distance – up to 4800m



### 30 partitions (security groups)

30 independent partitions



### Battery backup

Built-in Lilon battery, up to 25 hours of operation without main power



### Alarm reporting

Sends alarm reports with standard Contact ID report messages



### Easy registration

Easy devices registration on power on



### Convenient devices



















Unique technical solutions for users convenience

The wireless alarm system U-Prox is the most current development of ITV Ltd. and one of the best products in the security systems market.

The system can easily fit into any interior, thanks to the different colors of devices.

This is the solution for reliable protection of home and business with wide functionality, convenient management and stylish design.

Day and night the system will monitor your home and alert you in case of any danger.

<p><b>U-Prox MP</b></p> <p>Wireless alarm U-Prox control panel with Ethernet.</p> 	<p><b>U-Prox MP WiFi</b></p> <p>Wireless alarm U-Prox control panel with Wi-Fi.</p> 	<p><b>U-Prox MP LTE</b></p> <p>Wireless alarm U-Prox control panel with Wi-Fi and LTE - 4G/3G.</p> 	<p><b>U-Prox Keypad G4</b></p> <p>Premium wireless keypad with touch surface, dedicated buttons for partition control</p> 	<p><b>U-Prox Keypad G1</b></p> <p>The wireless mini keypad is designed for arming and disarming one partition</p> 
<p><b>U-Prox PIR</b></p> <p>Wireless pet immune motion detector</p> 	<p><b>U-Prox PIR Combi</b></p> <p>Wireless pet immune motion and break glass detector</p> 	<p><b>U-Prox PIR Combi VB</b></p> <p>Wireless motion and break glass detector with "vertical barrier" lens</p> 	<p><b>U-Prox Button</b></p> <p>The wireless key fob / button designed to control the U-Prox security system.</p> 	<p><b>U-Prox Siren</b></p> <p>Wireless indoor siren</p> 
<p><b>U-Prox PIR Outdoor</b></p> <p>Wireless outdoor motion detector</p> 	<p><b>U-Prox WDC</b></p> <p>Wireless magnetic door/window contact with external LED and reed switch connection</p> 	<p><b>U-Prox WDC long</b></p> <p>Wireless magnetic door/window contact with wires for connecting the arming information LED and external reed switch.</p> 	<p><b>U-Prox Keyfob</b></p> <p>The wireless key fob is designed to control the U-Prox security system</p> 	
<p><b>U-Prox WDC mini</b></p> <p>Wireless magnetic door/window contact</p> 	<p><b>U-Prox Smoke</b></p> <p>Wireless optical smoke alarm</p> 	<p><b>U-Prox Water</b></p> <p>Wireless water leak detector</p> 	<p><b>U-Prox Siren Outdoor</b></p> <p>Wireless outdoor siren</p> 	



## Smart Lighting

Smart LED bulbs contain software that connects to an app, smart home assistant, or other smart accessory so you can automate your lights or control them remotely, eliminating the need for traditional wall switches

# SMART LIGHTING SOLUTION

## RGB Wifi Smart Bulb

TYPE:TUYA Wifi Smart Light Bulb

Voltage:15W/18W

Color:RGB+Warm White+Cold White

Control: Tuya Smart Life/Alexa Amazon/Google Assistant.



## Color E26

A compact smart light that packs a serious 800 lumen punch. The LIFX Color features billions of colors as well as a huge cool-to-warm range of whites. And for anyone who loves an upgrade, take advantage of endless integration options.



## Color Downlight

LIFX Downlight Color is an energy efficient lighting fixture that features 16 million vivid colors as well as dimmable warm to cool whites to meet your needs from dawn to dusk. The LIFX Downlight Color produces a staggering 800 lumens from just 9 watts, delivers advanced WiFi enabled control, and creates a modern flush-to-ceiling finish with its retrofit fixtures for a sophisticated home



## White E26

A compact smart light for quality illumination at your command. The LIFX White features energy efficient, dimmable LED lighting for the perfect home or work environment.



**CUSTOM SMART NEON LED LIGHTING SOLUTION ON REQUEST**

# SMART GARAGE CONTROLLER

With Our Smart Garage Opener you can control your garage doors from anywhere with your voice!



Voice Control



Remote Control



Timer Setting



Security Protection



Alexa Echo 5




Alexa Echo 8



Alexa Echo 10

## Echo Show 15

# SMART HOME CONTROL



### Voice control your home

Alexa can control compatible smart home devices like security cameras, lights, thermostats, and more. Just ask her to show you the front door camera or brighten the kitchen lights.

### Packed with entertainment

The speakers deliver premium, directional sound that adapts to the space you're in. See lyrics, recommendations, and album art with Amazon Music or stream from Apple Music, Spotify, and more. The HD screen brings your shows to life from Prime Video, Netflix and other favourites. It's also perfect for catching up on the latest news and sports highlights.



**intune**

**— INTUNE  
DIGITAL  
SIGNAGE**


---

# BRAINTUNE DIGITAL SIGNAGE

is a cloud -based visual communication tool that enables businesses to remotely publish and distribute content, to one or many digital display



- **Full control and management** of communication content from a central point over multiple locations/screens, with real time updates and pre -scheduled campaigns
- **Dynamic content** with targeted messages to engage audience for better customer experience
- Effective customer interaction to optimise data driven sales and marketing
- **Increase in sales revenue** through maximising the full product range exposure and publishing contents with timely and relevant promotions. Thoughtful digital touchpoints lead to better customer experience and sales conversion.
- **Significant cost reduction** on operations and administration
- **Brand awareness** reinforcement as the innovative industry leader
- **Carbon footprints reduction**



# BRAINTUNE SOFTWARE

# HOW IT WORKS



# BRAINTUNE SOFTWARE

## 4 SIMPLE STEPS TO MANAGE AND PUBLISH CONTENTS...



### Add Your Digital Displays

TV / Monitor / Kiosk



### Upload Your Media

Images / Videos / Media Source




### Create Your Campaign

Select Template Layout and Insert Content



### Publish Your Campaign

Schedule Broadcast / Real-time Broadcast



# WHY INTUNE?

## COMPREHENSIVE END-TO-END SOLUTION



### Hardware

Expert manufacturer and distributor of quality standard and customised LCD and large-scale indoor/outdoor LED digital screens.




### Software

An intuitive cloud-based content management system (CMS) that enables simple and effective management and publishing of digital contents and allows hierarchy control levels.



### Deployment & Installation

Intune's National Operation Infrastructure including Logistics.



### Warranty & Support

Subscription duration hardware warranty, in-house after-sales support and access to national service agents



### Personalised Solution

We work with you to design and develop bespoke solutions based on your requirements to achieve your business goals.




### Managed Services


Let our expert teams create, maintain, and manage your digital signage strategy

# BESPOKE SOLUTIONS

- Wayfinding and Directory
- Survey and Feedback Form
- Photo Booth
- NFC Tap & Display
- Motion Triggred Campaign
- Visitor Sign-in
- Social Media Feed
- Interactive Application
- Competition and Games
- System Integration Application



# OUR PROCESS



## Consultation

Team discussion, presentation, demo



## Solution Proposal

Proposal, demo unit, trial account



## Review & Sign-off

Further discussion, agreement preparation/sign-off



## Development & Design

Data collection for bespoke solution design/development and system integration if required



## Deployment & Installation

Staged deployment and installation



## Support & Maintenance

Staff training, technical support, system management and monitoring

# CUSTOMER SUCCESS STORY

Intune is playing a key role in enabling businesses and organisations to achieve their goals through innovative digital solutions encompassing hardware, software and services.



# INTUNE IN COMMERCIAL



## Secure Parking (Melbourne, Hobart, Brisbane)

Implemented advanced digital signage systems across Au, featuring indoor and outdoor rate boards as well as large exterior LED Variable Message Signs (VMS). These installations provide efficient, reliable, and clear communication of parking rates and availability, enabling seamless management, reduced operational costs, and an improved customer experience.

## Screen Type

Full-HD & Ultra-HD Displays, External LED Large VMS, Indoor and Outdoor 43" & 55" Rate Boards

## Benefits

- Increased visibility and brand presence
- Full remote control of content and updates
- Reduced manual rate printing costs
- Real-time rate and message updates
- Enhanced customer experience and engagement
- Improved communication efficiency across multiple locations



# INTUNE IN INSTITUTIONAL



## Melbourne Museum


Designed and deployed interactive digital signage solutions throughout key visitor areas, integrating poster displays, LED rate boards, VMS units, and illuminated lightboxes. These systems deliver real-time updates, event highlights, and dynamic visuals, enhancing visitor interaction while ensuring efficient and sustainable information dissemination.

## Screen Type

2m Poster Screens, Indoor Rate Boards & LED Displays, Outdoor LED Variable Message Signs (VMS), Lightboxes

## Benefits

- Enhanced visitor engagement and experience
- Streamlined information and event updates
- Increased visibility of exhibitions and announcements
- Full remote management and scheduling control
- Reduced manual content replacement and printing costs
- Improved overall communication efficiency within the venue



intune

# INTUNE IN TELEVISION



## AusLanka TV

Intune implemented a curved LED display background and a fully automated broadcast system featuring high-hertz camera setups for smooth, crystal-clear visuals during daily programs and news broadcasts. The solution provides real-time content updates, enhanced studio aesthetics, and automation-driven efficiency, ensuring professional-grade broadcast quality and a captivating viewer experience.

## Screen Type

Curved LED Display Wall, Studio Video Walls, High-Hertz Broadcast Cameras, Automated Display Systems

## Benefits

- Fully automated program and news broadcast system
- High-hertz camera integration for ultra-smooth live video
- Streamlined daily scheduling and content control
- Enhanced on-air visuals and viewer engagement
- Increased broadcast efficiency and reliability
- Seamless integration of real-time updates and media content





# OUR LCD RANGE

OUR LED AND LCD RANGE IS NOT LIMITED TO WHAT'S SHOWN HERE  
— NO MATTER HOW COMPLEX OR UNIQUE YOUR REQUIREMENTS,  
WE CAN DELIVER.

# SPECIALIZED CUSTOM INDOOR AND OUTDOOR RANGE FOR DIFFERENT SCENARIOS

- CARPARKS
- MALLS
- OUTDOOR SCENARIOS
- AND MORE



# WINDOW FACING HIGH BRIGHTNESS LCD DISPLAYS - T SERIES

Super Thin: 32"/43"/49"/55"/65"



Windows/Android



USB/HDMI



Brightness Adjustment



Visible in the sun



Energy saving

# SMART PORTABLE STAND LCD DISPLAYS

21.5 inch



27 inch




27/32 inch



# WINDOW FACING HIGH BRIGHTNESS LCD DISPLAYS - N SERIES

Super Narrow Bezel: 32"/43"/49"/55"/65"/75"



Windows/Android



USB/HDMI



Brightness Adjustment



Visible in the sun



WIFI

# INDOOR LCD DUAL SIDE LCD DISPLAY



Windows/Android



USB/HDMI



Appearance patent



Visible in the sun



WIFI

32"/43"/55"/65"/75"/86"/98"  
10.1"/13.3"/15.6"/17.3"/18.5"/21.5"/23.6"/27"

# INDOOR LCD SCREEN - R SERIES



Available in  
any climate  
IP55



Air-cooled  
heat dissipation



Built-in GP  
Santi-theft  
(optional)




AI interfaces  
are hidden



10 touch  
(optional)



Windows/Android



USB/HDMI



Appearance patent



Visible in the sun  
1000-5000 nits



WIFI

# MOBILE VERTICAL LCD SCREEN M SERIES - FULL OUTDOOR HIGH BRIGHTNESS



Available in any climate  
IP65



Front speakers



Built-in GP Santi-theft  
(optional)



AI interfaces  
are hidden



10 touch  
(optional)



Windows/Android



USB/HDMI



Appearance patent



Visible in the sun  
1000-5000 nits



WIFI

32"/43"/55"/65"/75"/86"/98"

# OUTDOOR LCD SCREEN - O SERIES HIGH BRIGHTNESS LCD DISPLAY



Available in  
any climate  
IP55



Air-cooled  
heat dissipation



Built-in GP  
Santi-theft  
(optional)



AI interfaces  
are hidden



10 touch  
(optional)



Windows/Android



USB/HDMI



Appearance patent




Visible in the sun  
1000-5000 nits



WIFI

# IWB36 SERIES INFRARED - CAPACITIVE INTERACTIVE DISPLAY



4K UHD



Android 13.0/14.0



311D2/T982/V100



Type-C(311D2)



Zero Bonding



PC Module



Up to 20/40 points touch



Integrated Speakers  
Built-in Subwoofer(311D2)



Eye Protection Display



WiFi-5/6

# VIDEO WALL LCD



**Landscape or portrait installation**

**Computer control**

**With the information publish box,  
can remotely control.**

# SMART MIRROR



Windows/Android



USB/HDMI



Appearance patent



10 touch



WIFI

# SPECIAL SHAPE LCD SCREEN



Stretched bar screen



Round screen



Square screen



Shelf screen



Sphericity screen



Photo frame LCD screen

# OUR LED RANGE

OUR LED AND LCD RANGE IS NOT LIMITED TO WHAT'S SHOWN HERE  
— NO MATTER HOW COMPLEX OR UNIQUE YOUR REQUIREMENTS,  
WE CAN DELIVER.

## LED RANGE



### ● Outdoor Energy-Saving Series : P4 \ P5 \ P6.67 \ P8 \ P10



High Definition



Super slim



Light weight



Easy installation



High level protection




Low power consumption

- The module is made of aluminum bottom shell material, which has a stable structure, is not easy to deform, and has good heat dissipation function.
- Aluminum Cabinet, Light weight stable in structure and not easy to deform.
- Easy and Fast Maintenance
- IP66 High protection rate, waterproof, dustproof and rustproof.

Parameter					
Product Model	P4	P5	P6.67	P8	P10
LED light	1921	2727	2727	2727	3535/2727
Physical Density (dot/m <sup>2</sup> )	62500	40000	22500	15625	10000
Module Size (mm)	480*320				
Module Resolution	120*80	96*64	72*48	60*40	48*32
Cabinet Size (mm)	960*960				
Cabinet Material	Aluminum or Die-Cast Aluminum				
Scanning Methods	1/8	1/8	1/6	1/4	1/2
Grey Scale(Bit)	14	14	14	14	14
Protection Class	IP66	IP66	IP66	IP66	IP66
Brightness (cd/m <sup>2</sup> )	5000-12000	5000-12000	5000-12000	5000-10000	7000-12000
Horizontal/Vertical View	≥140° / ≥120°				
Driving Method	Constant Current Driver				
Module Supply Voltage	Common Cathode Energy Saving: 2.8V+3.8V Conventional: 5V				
Maximum Refresh Frequency	3840Hz				
Input Voltage AC	110—220V				
Rated Current DC/single Module	10-12A				
Average Power Consumption	50-80W/m <sup>2</sup>				

## LED RANGE



- The whole cabinet is made of aluminum alloy, which is light in weight, stable in structure and not easy to deform.
- High Contrast Perfect Image Good Consistency

### ● Indoor Small Pixel Pitch P Series : P1.25 \ P1.538 \ P1.86 \ P2.5



High Definition



Super slim



Light weight



Easy installation



High level protection



Low power consumption

Parameter				
Product Model	P1.25	P1.538	P1.86	P2.5
LED Light	1010	1212	1515	2121
Physical Densit (dot/m <sup>2</sup> )	640000	422753	359856	160000
Module Size (mm)	320*160			
Module Resolution	462	286	172	105
Cabinet size (mm)	640*480			
Scanning Methods	1/52	1/52	1/43	1/24
Grey Scale(Bit)	16Bit			
Protection Class	IP43			
Refresh Rate(Hz)	≥3840			
Average Power Consumption/m <sup>2</sup>	150W			
Cabinet Weight(Kg)	25±5% m <sup>2</sup>			
Cabinet Material	Die-Casting Aluminum			
Input Voltage(V)	AC110V-220V+1-10%			

## LED RANGE



### ● Outdoor Regular Series : P2.5 \ P3 \ P4 \ P5 \ P6 \ P8 \ P10



High Definition



Super slim



Light weight



Easy installation



High level protection



Low power consumption

- Bright colors, high contrast, good consistency, high brightness
- Seamless splicing High Precision
- Standard design , Easy to install and maintain
- IP65 protection level , Waterproof , Dust proof , Rust-proof

Parameter						
Product Model	P2.5	P3	P4	P6	P8	P10
Pixel Pitch(mm)	2.5	3.076	4.0	6.667	8.0	10.0
Physical Density (dot/m <sup>2</sup> )	160000	111111	62500	27777	15625	10000
LED Type	1415	1415	1921	2727/3535	2727/3535	3535
Module Size (mm)	320*160	320*160	320*160	320*160	320*160	320*160
Module Resolution (px×px)	128*64	104*52	80×40	48×24	40×20	32x16
Scanning Mode	1/16	1/13	1/10	1/6	1/5	1/2
Brightness (cd/m <sup>2</sup> )	5000-12000					
Grey Scale	16Bit					
Refresh Rate(HZ)	≥3840					
Average Power Consumption/m <sup>2</sup>	Common Cathode Energy Saving: 150W Conventional: 200W					
Cabinet Size (mm)	960*960	960*960	960*960	960X960	960*960	960*960
Cabinet Weight (Kg)	35±5%	35±5%	35±5%	35±5%	35±5%	35±5%
Cabinet Material	Die-casting Aluminum /Water Proof Iron Cabinet					
Input Voltage(V)	AC110V-220V+1-10%					
Protection Level	IP65					

## LED RANGE



### ● Indoor Small Pixel Pitch COB Series : P0.78 \ 0.9375 \ P1.25 \ P1.56 \ P1.87

- Ultra-thin,light weight,easy to install,Seamless assemble
- Ultra-clear display,Amazing Photographic effects
- High Contrast Perfect Image Light Weight Elegant Appearance
- Wide viewing angle,High refresh rate,high contrast,good consistency

Parameter					
Product Model	P0.78	P0.9375	P1.25	P1.56	P1.87
Pixel Pitch(mm)	0.78	P0.9375	1.25	1.56	1.87
Physical Density	1638400	1137777	640000	409600	284444
LED Type	4 in 1	4 in 1	4 in 1	4 in 1	4 in 1
Module Size(mm)	150*168.75	150*168.75	150*168.75	150*168.75	150*168.75
Module Resolution (px×px)	192×216	160×180	120×135	96×108	80×94
Brightness (cd/m2)	450-800				
Grey Scale	16Bit				
Refresh Rate(Hz)	≥3840				
Average Power Consumption/m2	280W/m²				
Cabinet Size (mm)	600X337.5				
Cabinet Weight(Kg)	3.2KG				
Cabinet Material	Die-casting Aluminum				
Input Voltage(V)	AC 110V-240V 50/60HZ				



High Definition



Best Visual Image



Strong Resistant  
to collisions



Good flatness



Magnetic suction  
installation



Front and rear  
maintenance

## LED RANGE



### ● 500\*500/500\*1000 Rental Series :

P1.56 / P1.953 / P2.5 / P2.604 / P2.97 / P3.91 / P2.976 /

P3.91 / P4.81

- Light and HUB Connection Cabinet design, Convenient Transportation
- High-Definition, High Grey scale
- Front/Back Maintenance Optional , Quickly assembled in various ways
- Seamless Splicing, Uniform Screen

Indoor Rental Series Parameter							Outdoor Rental Series Parameter				
Product Model	P1.56	P1.953	P2.5	P2.604	P2.97	P3.91	P2.604	P2.976	P3.91	P4.81	
Pixel Pitch (mm)	1.56	1.953	2.5	2.604	2.97	3.91	2.604	2.976	3.91	4.81	
Physical Density	409600	262144	160000	147456	112896	65536	147456	112896	65536	43264	
LED Type	1515	1515	1515	1515	1515	2121	1515	1921	2727	2727	
Module Size (mm)	250x250	250x250	250x250	250x250	250x250	250x250	250x250	250x250	250x250	250x250	
Module Resolution (px×px)	160*160	128*128	100×100	96×96	84×84	64×64	96×96	84×84	64×64	52×52	
Scanning Mode	1/40	1/32	1/32	1/32	1/28	1/16	1/32	1/21	1/16	1/13	
Brightness (cd/m <sup>2</sup> )	400-800							≥3500-7000			
Grey Scale	16Bit										
Refresh Rate (Hz)	≥3840										
Average Power Consumption/m <sup>2</sup>	150W							200W			
Cabinet Size (mm)	500X500/500X1000										
Cabinet Weight (Kg)	7 / 14										
Cabinet Material	Die-casting Aluminum										
Input Voltage(V)	AC110V-220V+1-10%										
Protection Level	IP43							IP65			



Ultra-high-definition



Straight/Curved design



Lifting, stacking



Seamless assemble



Indoor, outdoor



Front and rear maintenance

## LED RANGE



- Ultra-lightweight and ultra-thin, quick installation, easy to transport;
- High precision, seamless splicing, easy maintenance;
- High-definition display, environmentally friendly and energy-saving.

### ● 576\*576 Cabinet Rental Series :

P2.88 / P3.79 / P4.8 / P3.79 / P4.8 / P6



Ultra-high-definition



Straight/Curved design



Lifting, stacking



Seamless assemble



Indoor, outdoor



Front and rear maintenance

Indoor Rental Series Parameter				Outdoor Rental Series Parameter		
Product Model	Lndoor P2.88	Lndoor P3.79	Lndoor P4.8	Outdoor P3.79	OutdoorP4.8	Outdoor P6
Pixel Pitch(mm)	2.88mm	3.79mm	4.8mm	3.97mm	4.8mm	6mm
LED type	1415	2020	2020	1820	1820	2525/2727
Physical Density	120562	69618	43402	69618	43402	27778
Module Size (mm)	288*288					
Module Resolution (px×px)	100*100	76*76	60*60	76*76	60*60	48*48
Cabinet Size (mm)	576*576*70					
Cabinetresolution	200*200	152*152	120*120	152*152	120*120	96*96
Cabinet Material	Die-casting Aluminum					
Cabinet Weight(Kg)	9kg±5%					
Module Maintenance	Rear					
Scanning Mode	1/25	1/19	1/20	1/20	1/19	1/8
Brightness(cd/m <sup>2</sup> )	≥1000	≥800	≥800	≥4000	≥4500	≥4500
Refresh Rate(Hz)	≥3840					
Input Voltage(V)	AC220V/50HZ					
Protection Level	IP31			IP65		

## LED RANGE



### ● Indoor / Outdoor LED Screen for Stadium Series : P6 / P6.67 / P8 / P10

- High protection, Unique soft mask and anti-collision pad to ensure the safety of athletes
- Adjustable viewing angle to ensure the best vision of the audience
- High refresh, high gray scale, high contrast, good consistency
- Ultra-wide vision, Clear and natural picture

Indoor Stadium LED Screen Parameter		Outdoor stadium screen technical parameters		
Product Model	P6	P6.67	P8	P10
Pixel Pitch (mm)	6	6.67	8	10
Physical Density	27777	25000	15625	10000
LED type	SMD3528	SMD3535	SMD3535	SMD3535
Module Size (mm)	192x192	320x320	320x320	320x320
Module Resolution(px×px)	32x32	32x32	32x16	32x16
Scanning Mode	1/8	1/8	1/8	1/2
Brightness (cd/m <sup>2</sup> )	2000-2500	≥6000	≥6000	≥6500
Grey Scale	16Bit			
RefreshRate (Hz)	≥3840			
Average Power Consumption/m <sup>2</sup>	150W	200W		
Cabinet Size (mm)	960X960	960X960 /1280*960 /1280*1120 /1280*1280 Optional		
Cabinet Weight (Kg)	35	35-50KG Depend on screen size		
Cabinet Material	Die-casting Aluminum / Water Proof Iron Cabinet			
Input Voltage(V)	AC110V-220V+1-10%			
Protection Level	IP45	IP65		



High refresh rate



Quality Assurance



Quick installation



High level protection



Angle Adjustment



large viewing angle

## LED RANGE



### ● LED Poster Series :

**P1.25 \ P1.538 \ P1.86 \ P2 \ P2.5**



High Definition



Super slim



Light weight



Plug and play



High level protection




Low power consumption

- Ultra-thin design, simple and beautiful, high-definition display;
- Split-screen playback, Seamless splicing. Supports multiple installation methods;
- Intelligent linkage  
(can be controlled by mobile phone/computer/WIFI/U disk)

### LED Poster Specification

Product Model	P1.25	P1.538	P1.86	P2	P2.5
Pixel Configuration	1010	1212	1515	1515	2121/1921
Brightness (cd/m <sup>2</sup> )	600-800	600-800	600-800	600-800	600-5000 High Brightness Optional
Scan	1/52	1/52	1/43	1/40	1/32 / 1/16
Power Con. (Max / Avg)	600 / 200 W	600 / 200 W	600 / 200 W	600 / 200 W	600 / 200 W
Resolution (960/640mm)	(768/512) x1536	(624/416) x 1248	(516/344) x 1032	(480/320) x 960	(384/256) x 768
Module Dimension	320x160MM / 1.05x0.52FT				
Display Dimension	960 x 1920MM / 640 x 1920MM OR 3.15 / 2.1 x 6.3FT				
Refresh Rate (HZ)	1920-3840Hz				
Weight(960/640/1280)	70 / 50 KG				
Grey Scale (bit)	16				
Viewing Angle (H/V)	140/140				
Input Voltage (AC)	110/220				
Maintenance	Rear Service				
Frame Color	Red, Blue, Green, Yellow, White, Black Customize				

## LED RANGE



### ● LED Flexible Transparent Film Display Series :

P6 \ P6.65 \ P8 \ P10 \ P15 \ P20



High Definition



Super slim



Light weight



Easy installation



High level protection



Low power consumption

- Flexible, lightweight, high transparency;
- Easy installation, seamless splicing, strong heat dissipation;
- Wide viewing angle, bendable, not limited by size;
- Shock-resistant, collision-proof, can be freely cut.

Parameter						
Product Model	P6	P6.25	P8	P10	P15	P20
Module Size (mm)	816*384	1000*400	1000*400	1000*400	990*390	1000*400
LED Light	1515	1515	1515	1515	2022	2022
Pixel Composition	R1G1B1					
Pixel Spacing (mm)	6*6	6.25*6.25	8*8	10*10	15*15	20*20
Module Pixel	136*64=8704	160*64=10240	125*50=6250	100*40=4000	66*26=1716	50*20=1000
Pixel/m <sup>2</sup>	27777	25600	16500	10000	4356	2500
Brightness	2000/4000					
Permeability	90%	90%	92%	94%	94%	95%
Angle of View	160 °					
Input Voltage	AC110-240V50/ 60Hz					
Peak Power	600w/m <sup>2</sup>					
Average Power	200w/m <sup>2</sup>					
Work Environment	Temperature -20~55°C Humidity 10-90%"					
Weight	1.3kg					
Lifespan	100000H					
Grayscale Level	16bit					
Refresh Rate	3840 Hz					

## LED RANGE



- Embedded design, lamp drive in one
- Any dead pixel will not affect other lamp beads

Model	M3 Glass Mounting	M6 Glass Mounting
Product Model	P3.91 / P3.91 Evenly Spaced	P6.25 / P6.25 Evenly Spaced
Perceptual Transparency	80%	90%
Pixel Density (dot/ m <sup>2</sup> )	65536	25600
Cabinet Size (mm)	250x1200	250x1500
Cabinet Resolution (dot/m <sup>2</sup> )	64x300	40X240
Weight (Kg/ m <sup>2</sup> )	6	5
Brightness(cd/ m <sup>2</sup> )	≥ 2500	≥ 2000
Form Factor	Lamp Drive Integrated Package	
Scan Method	Single-Point, Single-Control, Static Drive	
The Working Life of The Lamp Beads	≥ 100,000 Hours	
Grayscale Scale	65536 (Bit)	
Maximum Power Consumption	800	
Average Power Consumption (W/ m <sup>2</sup> )	200	
LED Control System	Same/Asynchronous	
Input Voltage	AC100~240V 50/60 Hz	
Module Operating Voltage	DC 4.2V ± 0.2V	

### ● LED Holographic display Series :

P3.91 / P6.25



High Definition



Super slim



Light weight



Easy installation



High level protection



Low power consumption

## LED RANGE



### ● Flexible LED Display Series :

P4 \ P3.076 \ P2.5 \ P2 \ P1.86 \ P1.5



High Definition



Super slim



Light weight



Easy installation



High level protection




Low power consumption

- Flexible, lightweight,;
- Easy installation, seamless splicing;
- Wide viewing angle, bendable,;
- Customize any shape;

Parameter							
Product Model	P1.25	P1.5	P1.86	P2	P2.5	P3.076	P4
Module Size (mm)	320*160						
LED Light	1010	1515	1515	1515	2121/1515	2121/1515	2121
Scanning	52S	52S	43S	40S	32S	26S	20S
Pixel Point	256*128	204*102	172*86	160*80	128*64	104*52	80*40
Brightness (cd/m <sup>2</sup> )	450-800						
Grey Scale	16bit						
Refresh Rate	≥3840						
Average Power Consumption/m <sup>2</sup>	150W						
Input Voltage	AC110V-220V+1-10%						

LED RANGE





## Robotic Solutions

TRY DEMO

Free!

# ROBOTIC SOLUTIONS



## Delivery Robot T5

Hello, future



Vivid Expressions



Anti-Shake



Improve Efficiency  
By Nearly 200%



Self Charging



## Delivery Robot T8

Hello, future



Autonomous Navigation



Convenient Access  
Up To 300°



204° Large  
Viewing Angle



Self Charging



## Delivery Robot T6

Hello, future



Intelligent Contactless  
Delivery



Cost Efficiency



Intelligent Scheduling



Self Charging




# APPLICATION SCENARIOS



### Full Autonomous Positioning and Navigation

The simultaneous localization and mapping (SLAM) system is developed independently by KEENON Robotics, which makes our robots work stably and efficiently. KEENON supports both marker and laser SLAM solutions for different indoor scenarios. Accuracy is also guaranteed with the latest binocular stereo vision obstacle avoidance.



### Multi-Robot Collaboration

With a powerful planning system, multiple robots can cooperate smoothly in the same working environment, elevating efficiency, reducing cost, improving the service level, and offering customers a more intelligent experience.



### SMART AND SAFE OBSTACLE AVOIDANCE

Multi-dimensional sensors such as depth vision, lidar, collision sensors, infrared distance measurement, and other multi-dimensional sensors have been researched and developed by Keenon for over ten years. We continuously optimize core algorithms to make robots avoid obstacles more flexibly and safely.



### FULLY AUTONOMOUS POSITIONING AND NAVIGATION

Relying on the SLAM synchronous positioning and map construction system independently developed by Keenon, the robots run stably and efficiently in various scenarios. Relying on a series of sensors such as encoders, gyroscopes, laser odometers, lidars, image modules, UWB, and multi-sensor fusion algorithms, the robots achieve the high-precision positioning and flexible movement.



### COOPERATIVE SCHEDULING SYSTEM

Through coordinating our self developed communication modules and distributed scheduling algorithms together, Keenon robots can achieve AI distributed scheduling, ensuring that multiple robots can work together and complete delivery tasks more safely and efficiently.

## Delivery Robot T1

- Smart Appearance
- Touch-Sensing
- Mini-program Access
- Vivid Expression
- Autonomous Positioning & Navigation
- Multi-machine Collaboration



## Disinfection Robot M2

- Intelligent Obstacle Avoidance
- Fully Autonomous Positioning & Navigation
- Multi-machine Cooperation
- Multiple Disinfection Modes
- CMA Approved



## Delivery Robot T2

- Large Capacity
- Smart Bracelet Call
- Double Waterproof
- Robust Chassis & Smart Obstacle Avoidance
- Multiple Modes
- Zero-Pollution & Doors Opened on Both Sides
- Three Colors Optional



## Guiding Robot G1&G2

- Self-developed SLAM Positioning and Navigation Technology
- High Resolution Screen for Advertising
- Smart Interaction
- Concise & Friendly UI



# ROBOTIC SOLUTIONS

## Pudubot 2

Universal Delivery Robot

- 3D obstacle avoidance
- Calling and Notification
- 6 times longer battery lifetime
- Automatic Charging
- Effectively resist dust and water
- 32-inch Capacitive Touch Screen
- Convenient Content Management



\*Water proof

- \* Machine size 580\*535\*1290mm
- \* Machine weight 37kg
- \* Numbers of Tray Default 3 Maximum 7
- \* Maximum Loads 7 40kg
- \* Battery lifetime 10-24H
- \* Cruise speed 0.5-1.2m/s
- \* Path Clearance Min adjustable 0.5m/s-1.2m/s

- \* Screen Size 32-inch
- \* OS Android 7.1
- \* Resolution 1920\*1080
- \* Program Input USB,SD,WIFI,LAN
- \* Support format H.264,MPEG4,MP3, JPG,BMP,PNG,GIF,WMA etc.

### Charging Station

1 unit \$880



### Purchase Price

\$14,990

### Lease Price

\$770 pm

BEST SELLER IN AUS

## Bellabot

Premium Delivery Robot

- 3D obstacle avoidance
- Adjustable tray
- Sensor on tray
- Light effect interaction
- Adorable cat design



 GOOD DESIGN AWARD 2022

- \* Machine size 516\*537\*1290mm
- \* Machine weight 55kg
- \* Machine material ABS/aviation-grade aluminum alloy
- \* Charging time 4.5H
- \* Battery lifetime 7X24H (power exchangeable)
- \* Cruise speed 0.5-1.2m/s adjustable
- \* Single tray load 10kg



### Pudu Pager

Additional 1 bell \$55

Router + 10 \$770

Bells

### Purchase Price

\$19,900

### Lease Price

\$1,000 pm

## Kettybot

Delivery & Reception Robot with an Ad Display

- 3D obstacle avoidance
- Automatic Charging
- Compact design for improved agility
- Ad display for promotional video



- \* Machine size 460\*440\*1120mm
- \* Machine weight 35kg
- \* Carrying capacity 30kg
- \* Battery lifetime 7x24h
- \* Clearance 55cm
- \* Cruise speed Max 1.2m/s
- \* Ad display dimension 18.5"



### Charging Station

1 unit \$880



### Purchase Price

\$15,000

### Lease Price

\$750 pm

NEW

## Botinkit Max

AI cooking robot



- Kitchen operation and efficiency
- Manage your recipe in the cloud
- Consistent taste & quality
- Easy to customize your recipe
- Reduced reliance on skilled staff
- Hassle free cleaning

- \* Machine size 817mm\*650mm\*956mm
- \* Volume size maximum volume 31L
- \* Powder capacity 650ml
- \* Liquid capacity 850ml
- \* Cornstarch slurry 1100ml
- \* Cooking Capacity 8kg
- \* Average cooking time 3min



### Purchase Price

\$35,200

### Monthly repayment for equipment loan

5 year \$777 pm 3 Year \$1,161 / pm / 3 Year \$1,646 pm

• A 1-year warranty is provided for purchase.

• Monthly repayment for equipment loan is approximately calculated.

All Prices are inclusive of GST.

• Installation cost not included. starts from \$550

# ROBOTIC SOLUTIONS

## CC1

Intelligent Commercial Cleaning Robot

- Sweeping, Scrubbing, Vacuuming, Mopping multi-function in one
- Professional Cleaning
- Suit Various Floor Types
- Automatic Charging



Purchase Price

\$29,000

Lease Price

\$1,600 pm

Installation Fee

\$550

\*The additional cost may be incurred based on the installation area size.

## SC50

Commercial Cleaning Robot

- Fully Automatic Operation
- Sweeping, Scrubbing, Mopping
- Long time operation
- Edge Cleaning
- Automatic Charging



Purchase Price

\$66,000

Charging Station

1 unit: \$3,300

Monthly repayment for equipment loan

2 year \$3,179 pm / 3 Year \$2,265 pm



## Swiftbot

Versatile Delivery Robot

- Realtime Visualized Status
- Omnidirectional Perception Capability
- Initiative Make-way for Pedestrian
- Automatic Electric Door
- Automatic charging



Purchase Price

\$23,000

Lease Price

\$1,100 pm

Installation Fee

\$550

\*The additional cost may be incurred based on the installation area size.

Charging Station

1 unit: \$880



## Holabot

Ultra-large Capacity Robot

- Ultra-large Capacity
- Pager Function
- Air Motion
- Sound Tracking
- IPX5 Waterproof Inner Cabin



Purchase Price

\$21,000

Lease Price

\$11,000 pm

## Robotea

Robot Bubble Tea Kiosk



NEW

Size

L1700 \* W1660 \* H2440mm

Rated power

750w

Weight

900kg

Screen

32 inch touch screen

Advantage


Low noise, powerful cooling effect, smart robotic automatic

Purchase Price

\$88,000

## LED Display Banner

Linkable Design & Flexible Size



\* Pixel Pitch: 3mm

\* Screen Size: 576x1920mm

\* Resolution: 192x640 dots

Purchase Price

\$7,150

Monthly repayment for equipment loan

/ 2 year \$353 pm    3 Year \$254 pm



CONTACT US FOR FREE TRIAL & DEMONSTRATION

• A 1-year warranty is provided for purchase.

• Monthly repayment for equipment loan is approximately calculated.

• All Prices are inclusive of GST.

• Installation cost not included. starts from \$550

# POS SOLUTIONS

# POS Decice

Welcome to the shop to browse



Android



2+16GB




11.6"  
touch screen



1366\*768  
Resolution



WIFI



Capacitive  
screen




## Product Description

- 11.6 inch touch screen
- Sensitive touch screen High efficiency cashier



## Multiple Ports for Different POS Accessories



Hide interface

## Hd two-screen

Before and after large 11.6 -inch screen

# 11.6"



## Industry General

Our equipment is suitable for use in different industries



Restaurant



Retail



Fruit



Drinks



Cosmetic



Clothing

## Specification

Hardware Category	Description	Technical Parameters
Core Chip		4 nuclear
Memory	Buffer Cache	1G/2G for optional
	Internal Storage	8G/16G for optional
Screen	Dimension	11.6"
	Resolution	1366*768
	Material	ABS + iron material
WIFI	Support	802.11 b/g/n
Touch Screen	Capacitive Touch Screen	
Loudspeaker	Internally Installed	
Interface	line out	1
	serial port	1
	TF	1
	USB	5
	<b>Name</b>	<b>Support OR NOT</b>
System	Google Android 7.1	
Language	Chinese/English/custom	
Function	Email	Support
	Calculator	Support
	Recorder	Support
	Clock	Support
	Calender	Support
	Browser	Internally Installed
	Video player (format)	AVI,3GP,MP4,MKV,WEBM
Music player (format)	MP3,WMA,MP2,OGG,AAC	
	AMR,FLAC,APE,WAV,MIDI	
Third-party	Photo Browser (Format)	JPG, GIF, BMP, PNG
	Text Reader (format)	TXT, PDF,WORD,EXCEL
	File Manager	Internally Installed
	Office Software	Support third party software
	Instant Messenger	Support third party software
E-book	Support third party software	



## Smart Switches




# SMART SWITCHES


Life Is On

**CLIPSAL**  
by Schneider Electric

Wiser by SE app



Voice control device



- Manage your lighting, blinds, shutters, split system aircon, appliances and more via an app, wherever you are.
- Create and schedule your own 'Moments', like movie nights or family dinners, where settings such as the lighting and temperature change to just how you like them.
- Set the lights and devices in your home office to power up with a pre-scheduled program before you start working, then go on standby when you're done.
- Let your home automatically anticipate your needs, reducing your living costs and environmental footprint.
- Choose how you control your smart home, with the Wiser by SE app, voice assistants or automatically.



Switch




Dimmer



Curtain switch




Freelocate



Tap **+** to add a new Moment



Tap **+** to add a new Automation



## Create personalised 'Moments'

Every household has its little rituals, and your Clipsal Wiser Smart Home can instantly set the mood for your special Moments. Whether it's turning off the TV and putting on some music at dinnertime or dimming the lights and closing the blinds for movie nights, just set the Moment exactly how you want it once, then call up your saved settings next time.

Moments are an easy way to save your favourite settings for lighting, shade, and temperature in any room, and even control appliances like your TV or home entertainment system.

## Imagine the power of 'Automation'

With the Automation feature, you can fully customise the behaviour of your Clipsal Wiser Smart Home to suit your needs and have your home react to particular events. After you define your conditions and actions, your Clipsal Wiser Smart Home will automatically activate if the conditions are met. Imagine being able to set an Automation to turn your hallway lights on from 7pm to 9.30pm each night at 80% light level when a movement sensor is triggered so you and your family can more safely walk through your home.

## A smart home that grows as your needs do

From one smart function to a complete smart home, your Clipsal Wiser Smart Home features all the capabilities you need to start your smart home journey. Plus it's easy to scale up and add new devices to. You can start off with one or two smart room functions, like living room lights and bedroom window blinds, and affordably add to the system throughout the house as your needs change.

## Key Features

- Full control over a wide selection of devices in your home.
- Group your smart devices into "Rooms" to simplify the control over your home.
- Device pairing and set up in the app.
- Convenient status overview of connected devices.
- Manage your smart home even when you aren't home.
- Combine Wiser device settings to create a room effect or adjust room comfort level using Moments.
- Set time-schedule based instructions to make your home respond to your everyday needs.
- Support remote firmware upgrade for the devices.
- Support voice control, works with Amazon Alexa, Google Assistant and Tmall Genie.
- Support push notification for critical information.



## Smart Curtain Solutions

Smart curtains are basically smart modules that are enabled with the help of internet connection. The digital curtains are accompanied with smart rods for easy and seamless motorization of the blinds or shades.

## Smart Curtain Motor

- APP Remote Control: Cool and fantastic tech design that makes your life so much easier with a simple clicking on your smart phone, which makes your home smarter.
- Voice control: Compatible with Amazon Alexa and for Google Home, you can turn on or off the curtain just by voice.
- Light Touch Start Function: If use hand to pull the curtain lightly, the curtain will run automatically and stop until fully opened or fully closed.
- Sound and Noise Reduction Design: It adopts sound insulation design to reduce noise, which makes the noise less than 38dB, enjoy comfortable and silent environment.
- Small Body, Interface Uniform: The interface of all electric curtains is the same, no need to worry about the interface is not compatible with.



## End-End Curtain and Blind Solution

offers wide range of curtain and roller blinds fabrics at affordable prices. Great savings on end to end quality fabrics for your curtains.





## Smart Irrigation System

Smart irrigation systems are a combination of an advanced technology of sprinklers with nozzles that improve coverage and irrigation controllers that are watering and water conservation systems that monitor moisture-related conditions on your property and automatically adjust watering to optimal levels.



## Smart Water Valve

1. Remote Control: You can control all the smart devices through your phone remotely, wherever and whenever you are.
2. Linkage Control: When you get up at night, the PIR motion detector detects you are moving, it can link the lights on to the brightness you like. "when you come, lights on; when you leave, lights off".
3. Scene Control: In the past, when you came back home, the first thing you need to do is turning on the lights, the AV, ect. But now you can edit a 'come home' scene, when you came back next time, all the devices will work automatically.
4. Timing Control: You have a store, you don't need to turn the light on when it gets dark, you can set a timer, the lights will be on /off at the the time



## Smart Manipulator

- Support IEEE 802.15.4 (ZigBee/SmartRoom) protocol.
- Free from manual supervision or manipulation of gas valve, and realize highly smart and automatic home life.
- Manual calibration makes easy maintenance and accurate control.
- Precise in structure and workmanship, and guarantee gas tightness and security.
- Brand new in appearance and design, and make you feel more homelike.





*intune*

WIFI 6  
ACCESS POINT

Ruijie



267 Mbps


802.11ac Wave2

Seamless Layer 3 Roaming


2x2 MIMO 2x2 MU-MIMO

Reyeet Mesh Technology

Free Cloud Management




## Smooth Transition



## Make Your Everyday Easy








- Self-organizing network
- Centralized network management
- Scenario based configuration
- Cloud portal authentication
- Remote monitoring and maintenance



# Smarthome Applications



ring





WULIAN

***Wulian***

---

**Smarthome  
Accessories**

# HomePad

WL-HPD-1


- 8.8-inch HD IPS retina display with 178°visual angle, adopting CNC process
- AI voice module, realizing instant wake –up
- Smart control center, for example, lighting control, curtain control, etc.
- Multiple screen choices for DIY
- Supports wired network and Wi-Fi access


Smart control center, multiple screen choices



## Product Parameter

- Display Screen: 8.8 inch, HD IPS retina display
- Power supply: 220V, AC
- Installation Method: Wall Mounting
- Wired Access Mode: RJ-45 / Adaptive WAN port
- Wireless Access Mode: 2.4GHz / 5GHz





---

# Smart Home Core

cated controlling process, creating a more comfortable and safer life.

## Smart Gateway (LAN)

WL-ZGWMDB-G100-0

Smart Home Control Center

Connected to network cable, low power consumption, meeting a new generation of green design ideas.



### Product Parameter

Power Supplying: DC 5V 1A, AC/DC Adapter

Wired Access Mode: A 10 / 100M Adaptive WAN Port  
ROM Type and Capacity: SPI FLASH 16MB  
Memory Type and Capacity: DDR2 32MB

## Vertical Gateway

WL-ZGWMDB-G110-05

Network Cable Access

Connects Smart Home Network to LAN or Internet

Power Supply: DC 5V 1A, AC/DC Adapter


Wireless Access Mode: Wi-Fi

ROM Type and Capacity: SPI FLASH 16MB

Memory Type and Capacity: DDR2 64MB

Material Color : PC+ABS, Black

Product Parameter





## Salute Scene Switch

ZY-ZRCFBPW-S4140-0

Wireless remote control of Smart Home products, for example, wall switches, etc.  
Can bind with local multiple devices, set linkage and create scenarios  
Can be installed on the wall  
Suitable for either installing or carrying

### Product Parameter

Communication Protocol: IEEE 802.15.4 ( ZigBee/SmartRoom)  
Power Supply: DC 3V (2 CR2032 batteries)

Communication Distance: Within 100m  
Material Color: PC+ABS, White  
Installation Mode: Wall Mounting or Portable  
Color: White/ Champagne Gold/Carbon Black

White Champagne Gold Carbon Black



## Salute Dimmer Switch

ZY-ZCSFLPW-D1111-0

Can adjust brightness locally or remotely  
Touch control, fashionable and fast

### Product Parameter

Communication Protocol: IEEE 802.15.4 ( Zigbee/Smart Room)  
Power Supply: 220V AC (L+N)

Dimming Type: Silicon Controlled  
Communication Distance: Within 100m

Material Color: PC+ABS, White  
Installation Method: Wall Mounting  
Color: White/ Champagne Gold/Carbon Black

White Champagne Gold Carbon Black

## Salute Series (Non-smart)

White Champagne Gold





# Smart Home Installation Service

At the time of installation, you'll have an opportunity to take advantage of Intune Smart Support. This unique program is designed to take the confusion out of your smart home. Not only will our team take care of the installation and initial setup, but we will also help you maintain your system so you can get the most enjoyment out of it.

Our team are ready to help you create a complete integrated system for your home. In providing you with our expert advice and professional recommendations, our goal is to deliver options that take into consideration any current needs, future trends, and product reliability factors. Before we begin, we'll take the time to understand your individual needs to deliver a customized solution. We offers a comprehensive set of services that address every aspect of your home automation requirements including

- Consultation
- Scoping
- Design
- Supply
- Project Management
- Installation / Works
- Inspection
- Technology Partnering
- Energy Savings Solutions
- Training and Development
- Support



## CONTACT US

*intune*

---

Our team, Intune, is committed to finding the right answer to your problem. We are ready to solve problems so as not to interfere with your freedom and make it easier for you. If you like all your new ideas send us suggestions and we would love to help with your projects



Intune Technologies Pty Ltd.

M: +61485 855 866

P: +61 361 53 03 83

[team@intunetech.com.au](mailto:team@intunetech.com.au)

**inune**